## Blue Cross Blue Shield/Blue Care Network of Michigan Medication Authorization Request Form



Nonprofit corporations and independent licensees of the Blue Cross and Blue Shield Association

This form is to be used by participating physicians to obtain coverage for **drugs covered under the medical benefit**. For <u>commercial members only</u>, please complete this form and submit via fax to 1-877-325-5979. If you have any questions regarding this process, please contact BCBSM Provider Relations and Servicing or the Medical Drug Helpdesk at 1-800-437-3803 for assistance.

PATIENT INFORMATION	PHYSICIAN INFORMATION		
Name	Name		
ID Number	Specialty		
D.O.B. / MM/DD/YYYY  Male Female	Address		
Diagnosis	City /State/Zip		
Drug Name Stelara SC	Phone: Fax:		
Dose and Quantity	NPI		
Directions	Contact Person		
Date of Service(s)	Contact Person Phone / Ext.		
STEP 1: DISEASE STATE INFORMATION	Thone / Ext.		
D			
Required Demographic Information:			
Patient Weight:kg			
Patient Height:ftinch	es		
service area. If you are not a provider in the geographic so the FEP member's benefit requirements.  Is this member's FEP coverage primary or secondary coverage.  If primary, continue with question set.  If secondary, an authorization is not needed through determination of benefit and additional informate.  Site of Care:  A. At what location will the member be receiving the require Physician's office, home infusion, non-hospital affit.  Outpatient hospital infusion center. Please provide receive this medication in a hospital outpatient setting.	will be serviced by a provider within the health plan's geographic ervice area, please contact the health plan for questions regarding ge?  ugh this process. Please contact the member's primary coverage for ion.  uested medication?  liated ambulatory infusion center. the name of the infusion center and rationale why the patient must ing.		
☐ Other. Please specify.			
Criteria Questions:  1. Has the patient been on Stelara continuously for the last 6 months,  □YES – this is a PA renewal for CONTINUATION of therapy, p □NO – this is INITIATION of therapy, please answer the question.	please answer the questions on <b>Continuation section.</b> ons below:		
2. Has the patient been tested for latent tuberculosis (TB)? □Yes*  *If YES, was the result of the test positive or negative for TB infe			
*If POSITIVE, has the patient completed treatment or is the pa	_		
3. Does the patient have any active infections including active TB or l			
4. Will the patient be given live vaccines while on Stelara? \(\sigma\)Yes	•		
5. Will Stelara be used in combination with another biologic *disease-modifying antirheumatic drug (DMARD) or targeted synthetic DMARD?			
*If YES, please specify:			

What is the patient's diagnosis?
□ Crohn's Disease (CD)
a. Does the patient have a diagnosis of moderate to severely active Crohn's disease? □Yes □No
<ul> <li>b. Does the patient have a contraindication or have they had either an inadequate response or intolerance to at least one conventional therapy option? □Yes □No</li> </ul>
c. Will the patient's first dose be given an IV infusion? □Yes □No
d. What is the patient's weight in either pounds (lbs) or kilograms (kg)? Please select answer below:
□55kg (121lbs) or less: Does the prescriber agree to administer 260mg for the initial IV infusion? □Yes □No
□Greater than 55kg (121lbs) to 85kg (187lbs): Does the prescriber agree to administer 390mg for the initial IV infusion? □Yes □No
□Greater than 85kg (187lbs): Does the prescriber agree to administer 520mg for the initial infusion? □Yes □No
e. Following the initial IV infusion, does the prescriber agree to administer Stelara within the FDA labeled maintenance dose of 90m subcutaneously every eight weeks?   No
□ Plaque Psoriasis (PsO)
a. Does the patient have a diagnosis of moderate to severe plaque psoriasis? □Yes □No
b. Does the patient have an intolerance or contraindication or have they had an inadequate treatment response to conventional systemic therapy? <i>Please select answer below:</i>
☐ Inadequate response ☐ Intolerance or contraindication ☐ Has not tried conventional systemic therapy
c. Does the patient have an intolerance or contraindication or have they had an inadequate treatment response to phototherapy? <i>Please select answer below:</i>
☐ Inadequate response ☐ Intolerance or contraindication ☐ Has not tried phototherapy
d. Age 6-17: What is the patient's weight in either pounds (lbs) or kilograms (kg)? Please select answer below:
□Less than 60kg (132lbs): Does the prescriber agree to administer Stelara within the FDA labeled maintenance dose of 0.75mg/l subcutaneously every 12 weeks? □Yes □No
□60kg (132lbs) to 100kg (220lbs): Does the prescriber agree to administer Stelara within the FDA labeled maintenance dose of 45mg subcutaneously every 12 weeks? □Yes □No
□Greater than 100kg (220lbs): Does the prescriber agree to administer Stelara within the FDA labeled maintenance dose of 90 maintenance subcutaneously every 12 weeks? □Yes □No
e. Age 18 or Older: What is the patient's weight in either pounds (lbs) or kilograms (kg)? Please select answer below:
□100kg (220lbs) or less: Does the prescriber agree to administer Stelara within the FDA labeled maintenance dose of 45mg subcutaneously every 12 weeks? □Yes □No
□Greater than 100kg (221lbs): Does the prescriber agree to administer Stelara within the FDA labeled maintenance dose of 90 subcutaneously every 12 weeks? □Yes □No
□ Psoriatic Arthritis (PsA)
a. Does the patient have a diagnosis of active psoriatic arthritis? □Yes □No
b. Does the patient have an intolerance or contraindication or have they had an inadequate treatment response to a three month trial of at least one conventional DMARD?   No
c. Age 6-17: What is the patient's weight in either pounds (lbs) or kilograms (kg)? <i>Please select answer below:</i>
□Less than 60kg (132lbs): Does the prescriber agree to administer Stelara within the FDA labeled maintenance dose of 0.75mg/l subcutaneously every 12 weeks? □Yes □No
□60kg (132lbs) to 100kg (220lbs): Does the prescriber agree to administer Stelara within the FDA labeled maintenance dose of 45mg subcutaneously every 12 weeks? □Yes □No
□Greater than 100kg (220lbs): Does the patient have a concurrent diagnosis of moderate to severe plaque psoriasis?
□Yes: Does the prescriber agree to administer Stelara within the FDA labeled maintenance dose of 90mg subcutaneously even 12 weeks? □Yes □No
□No: Does the prescriber agree to administer Stelara within the FDA labeled maintenance dose of 45mg subcutaneously even 12 weeks? □Yes □No
d. Age 18 or Older: What is the patient's weight in either pounds (lbs) or kilograms (kg)? Please select answer below:
□Less than or equal to 100kg (220lbs): Does the prescriber agree to administer Stelara within the FDA labeled maintenance dos of 45mg subcutaneously every 12 weeks? □Yes □No
□Greater than 100kg (220lbs): Does the patient have a concurrent diagnosis of moderate to severe plaque psoriasis?

□Yes: Does the prescriber agree to administer Stelara within the FDA labeled maintenance dose of 90mg subcutaneously every 12 weeks? □Yes □No				
□No: Does the prescriber agree to administer Stelara within the FDA labeled maintenance dose of 45mg subcutaneously ever 12 weeks? □Yes □No				
□ Ulcerative Colitis (UC)				
a. Does the patient have a diagnosis of moderate to severely active ulcerative colitis? □Yes □No				
b. Does the patient have an intolerance or contraindication or have they had an inadequate treatment response to at least one conventional therapy option?   No				
c. Will the patient's first dose be given as an IV infusion? □Yes □No				
d. What is the patient's weight in either pounds (lbs) or kilograms (kg)? Please select answer below:				
□55kg (121lbs) or less: Does the prescriber agree to administer 260mg for the initial IV infusion? □Yes □No				
□Greater than 55kg (121lbs) to 85kg (187lbs): Does the prescriber agree to administer 390mg for the initial IV infusion? □Yes □No				
□Greater than 85kg (187lbs): Does the prescriber agree to administer 520mg for the initial infusion? □Yes □No				
e. Following the initial IV infusion, does the prescriber agree to administer Stelara within the FDA labeled maintenance dose of 90mg subcutaneously every eight weeks?   No				
☐ Other diagnosis (please specify):				
CONTINUATION OF THERAPY (PA RENEWAL)				
Stelara (ustekinumab)				
NOTE: Form must be completed in its entirety for processing				
Has the patient been on Stelara continuously for the last 6 months, excluding samples? Please select answer below:				
□NO – this is INITIATION of therapy, please answer the questions on <u>Initiation section</u> .				
□YES – this is a PA renewal for CONTINUATION of therapy, please answer the questions below:				
Has the patient's condition improved or stabilized with Stelara? □Yes □No₀				
Does the patient have any active infections including active tuberculosis (TB) and hepatitis B virus (HBV) infection?   \[ \textstyle \textstyl				
Will the patient be given live vaccines while on Stelara?   No  No  No  No  No  No  No  No  No  N				
Will Stelara be used in combination with another biologic *disease-modifying antirheumatic drug (DMARD) or targeted synthetic DMARD? □Yes* □No *If YES, please specify:				
*DMARDs: Actemra, Avsola, Cimzia, Cosentyx, Enbrel, Entyvio, Humira, Ilumya, Inflectra, Kevzara, Kineret, Olumiant, Orencia, Otezla, Remicade, Renflexis, Riabni, Rinvoq, Rituxan, Ruxience, Siliq, Simponi/Simponi Aria, Skyrizi, Taltz, Tremfya, Truxima, and Xeljanz/Xeljanz XR  What is the patient's diagnosis?				
□Crohn's Disease (CD)				
a. Does the prescriber agree to administer Stelara within the FDA labeled maintenance dose of 90mg subcutaneously every eight weeks.   The provided PDA is a contraction of the prescriber agree to administer Stelara within the FDA labeled maintenance dose of 90mg subcutaneously every eight weeks.				
□Plaque Psoriasis (PsO)				
a. Age 6-17: What is the patient's weight in either pounds (lbs) or kilograms (kg)? Please select answer below:				
□ Less than 60kg (132lbs): Does the prescriber agree to administer Stelara within the FDA labeled maintenance dose of 0.75mg/kg subcutaneously every 12 weeks? □ Yes □ No				
□60kg (132lbs) to 100kg (220lbs): Does the prescriber agree to administer Stelara within the FDA labeled maintenance dose of 45mg subcutaneously every 12 weeks? □Yes □No				
□ Greater than 100kg (220lbs): Does the prescriber agree to administer Stelara within the FDA labeled maintenance dose of 90 mg subcutaneously every 12 weeks? □ Yes □ No				
b. Age 18 or Older: What is the patient's weight in either pounds (lbs) or kilograms (kg)? Please select answer below:				
□100kg (220lbs) or less: Does the prescriber agree to administer Stelara within the FDA labeled maintenance dose of 45mg subcutaneously every 12 weeks? □Yes □No				
□Greater than 100kg (220lbs): Does the prescriber agree to administer Stelara within the FDA labeled maintenance dose of 90 mg subcutaneously every 12 weeks? □Yes □No				

1.

3.
 4.
 5.

6.

□Psoriatic Arthritis (PsA)

Confidentiality notice: This transmission contains confidential information belonging to the sender that is legally privileged. This information is intended only for use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information to any other party. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of this document is strictly prohibited. If you have received this in error, please notify the sender to arrange for the return of this document.

a. <b>A</b> g	ge 6-17: What is the patient's weight in either pounds (lbs) or ki	lograms (kg)? Please select answer below:
	<b>Less than 60kg (132lbs)</b> : Does the prescriber agree to administ subcutaneously every 12 weeks? □Yes □No	er Stelara within the FDA labeled maintenance dose of 0.75mg/kg
	60kg (132lbs) to 100kg (220lbs): Does the prescriber agree to a 45mg subcutaneously every 12 weeks? □Yes □No	administer Stelara within the FDA labeled maintenance dose of
	Greater than 100kg (220lbs): Does the patient have a concurre	ent diagnosis of moderate to severe plaque psoriasis?
	□Yes: Does the prescriber agree to administer Stelara within 12 weeks? □Yes □No	the FDA labeled maintenance dose of 90mg subcutaneously every
	□No: Does the prescriber agree to administer Stelara within to 12 weeks? □Yes □No	the FDA labeled maintenance dose of 45mg subcutaneously every
b. <b>A</b> ş	ge 18 or Older: What is the patient's weight in either pounds (l	bs) or kilograms (kg)? Please select answer below:
	<b>Less than or equal to 100kg (220lbs)</b> : Does the prescriber agree of 45mg subcutaneously every 12 weeks? □Yes □No	ee to administer Stelara within the FDA labeled maintenance dose
	Greater than 100kg (220lbs): Does the patient have a concurre	ent diagnosis of moderate to severe plaque psoriasis?
	□Yes: Does the prescriber agree to administer Stelara within 12 weeks? □Yes □No	the FDA labeled maintenance dose of 90mg subcutaneously every
	□ <b>No:</b> Does the prescriber agree to administer Stelara within to 12 weeks? □Yes □No	the FDA labeled maintenance dose of 45mg subcutaneously every
□Ulcerat	tive Colitis (UC)	
	es the prescriber agree to administer Stelara within the FDA labores $\square No$	eled maintenance dose of 90mg subcutaneously every eight weeks?
□Other o	liagnosis (please specify):	
	re required for the processing of all requests. Please add any other sup	
Chart notes ar	0 10 11 1100	
	Coverage will not be provided if the prescribing physician's pedited review: I certify that applying the standard review time frame may seriously jeopardize the life or life.	
Request for exp	pedited review: I certify that applying the standard review time frame may seriously jeopardize the life or	health of the member or the member's ability to regain maximum function
	pedited review: I certify that applying the standard review time frame may seriously jeopardize the life or	