

TURNINGPOINT DOCUMENTATION GUIDELINE

Last Modified: 8/2022

Document Number: GN-1002

Document Name: Medical Record Documentation

Description: This document is intended to serve as a guide to further define documentation requirements to meet the criteria set forth in the TurningPoint medical necessity policies. To ensure receipt of best available care, medical records should contain accurate and thorough documentation. TurningPoint will accept documentation as outlined in this guideline to promote consistency and standardization.

I. Guideline statement:

Acceptable medical records for pre-operative documentation must include all of the following:

Documentation Requirement	Details
Office Visit Notes	<ul style="list-style-type: none"> • Each entry must include author, appropriate signature, and date • Surgical candidates must be seen by surgeon within 4 months prior to procedure (this can be a telehealth visit for established patients) • Notes should be submitted in chronological order, margins free from writing, and no crossing or whiting out; corrections should be new entries, signed and dated • Records must be legible, whether typed or handwritten • Patient's name or ID number should be on every page • Documentation must not be cloned; should be patient-specific • Clinical information must include history of present illness, physical examination, past medical history (including family and social history), surgical history, and surgical plan with documented discussion of risks and benefits • Treatment plan: clear and detailed surgical plan and rationale from surgeon, including all procedures to be performed and specific anatomical locations <ul style="list-style-type: none"> ○ Plan should be consistent with patient's diagnosis; medical work up should be thorough and rule out other etiologies ○ Must include rationale for and align with all procedure codes requested; codes with CCI edits may be denied unless there is documentation to support separate requests ○ Procedures that are "possible" will not be authorized; if any changes take place during surgery, the post-procedure coding change process should be followed
Conservative Treatments	<ul style="list-style-type: none"> • Required therapies vary by procedure type • Medication: include type, duration, and response for each • Injections: include type, duration, and response for each

TURNINGPOINT DOCUMENTATION GUIDELINE

	<ul style="list-style-type: none"> • Physical therapy or home exercise program: PT notes preferred, but if unable to obtain, can be substituted with documentation of duration and response <ul style="list-style-type: none"> ○ Total and partial knee replacements: one physical therapy visit, home exercise plan, or joint class will be accepted (include date instructed) • Activity modification: detailed examples should be provided on how pain interferes with daily activities
BMI Requirements	<ul style="list-style-type: none"> • Requirements vary by procedure • Tiered criteria apply to: Total Hip Replacement, Hip Resurfacing, Total Knee Replacement, Partial Knee Replacement, Knee Arthroscopy, Ankle Replacement, Ankle Fusion <ul style="list-style-type: none"> ○ BMI of 30 up to 35 requires weight loss discussion between provider and patient ○ BMI of 35 up to 40 requires documented weight loss plan ○ BMI greater than 40 requires weight loss of either 10% initial body weight or until BMI is less than 40 <ul style="list-style-type: none"> ▪ If patient is unable to meet weight loss requirements, must submit medical records detailing the attempted weight loss and informed consent, including documented discussion between the provider and patient of the risk versus benefit and rationale for proceeding despite BMI greater than 40
Smoking Cessation	<ul style="list-style-type: none"> • Include current smoking status and quit date, if applicable • Cotinine tests and enrollment in smoking cessation programs are not required; may be accepted as additional evidence of, but not a substitution for, quit date/cessation • Cessation requirements apply to: <ul style="list-style-type: none"> ○ Non-Medicare cases for Total Hip Replacement, Hip Resurfacing, Hip Osteotomy, Total Knee Replacement, Partial Knee Replacement, Ankle Replacement, Ankle Fusion, Shoulder Replacement, Rotator Cuff Repair with associated procedures ○ All Spinal Fusions including Cervical, Thoracic, Lumbar, SI, and Spinal Deformity • If patient is unwilling or unable to quit per requirements, must submit informed consent, including documented discussion between the provider and patient of the increased risk for complications, potential revisions, and lower patient satisfaction
Imaging Requirements	<ul style="list-style-type: none"> • All pertinent imaging must be submitted <ul style="list-style-type: none"> ○ Radiologist's reports must be received for advanced imaging (MRI, CT, DEXA scan), and any imaging done out of office ○ Objective documentation from surgeon for x-rays taken and read in-house will be accepted ○ For major differences between surgeon's and radiologist's interpretations, addendums to the radiology report must be submitted

TURNINGPOINT DOCUMENTATION GUIDELINE

	<p>for clarification; surgeon's overread of outside imaging for additional detail and clarification will be accepted</p> <ul style="list-style-type: none"> For applicable joint replacement procedures due to arthritis, documentation of severity of arthritis and EITHER a Kellgren Lawrence/Tonnis grade OR two descriptive criteria must be included in the imaging report*
Orthopedic Implants	<ul style="list-style-type: none"> All implant information for planned procedures, including biologics, should be submitted; this should contain both the manufacturer and the specific product or device name. This includes (but is not limited to): <ul style="list-style-type: none"> Joint replacements and revisions: Prosthetic, grafts (DBMs, bulk allografts, etc.) Arthroscopic repairs/reconstructions: Grafts Spinal fusions: Grafts (including biologics, allografts, and substitutes/extenders), screws/rods, plates, cages Spinal implants: Interspinous/interlaminar spacers, facet implants, etc. Disc replacements: Prosthetic Spinal cord stimulator: Generator, leads Implantable pain pumps: Pump

*Grading scales and descriptive criteria outlined below:

Kellgren-Lawrence Radiographic Grading Scale of OA

Grade	Description (Original)
0	No radiographic findings of osteoarthritis
1	Doubtful narrowing of joint space and possible osteophytic lipping
2	Definite osteophytes and possible narrowing of joint space
3	Moderate multiple osteophytes, definite narrowing of joint space and some sclerosis and possible deformity of bone ends
4	Large osteophytes, marked narrowing of joint space, severe sclerosis, and definite deformity of bone ends

Tonnis Grading Scale of Hip Osteoarthritis

Grade	Radiographic features
0	No signs of osteoarthritis
1	Slight narrowing of joint space, slight lipping at joint margin, slight sclerosis of the femoral head or acetabulum
2	Small cysts in the femoral head or acetabulum, increasing narrowing of joint space, moderate loss of sphericity of the femoral head
3	Large cysts, severe narrowing, or obliteration of joint space, severe deformity of the femoral head, avascular necrosis

Descriptive Criteria

- Joint space narrowing
- Joint subluxation
- Osteophyte formation
- Subchondral cysts
- Subchondral sclerosis

TURNINGPOINT DOCUMENTATION GUIDELINE

References

1. American Academy of Orthopaedic Surgeons. Medical Record Documentation: Your best defense. <https://www.aaos.org/CustomTemplates/Content.aspx?id=22749&ssopc=1>
2. American College of Surgeons. Statements on principles. Published 2016. <https://www.facs.org/about-ac/s/statements/stonprin>
3. American Health Information Management Association. Integrity of the Healthcare Record: Best Practices for EHR Documentation (2013 Update). <http://library.ahima.org/doc?oid=300257#.XKlrmFxFxKiUk>
4. American Medical Association. Opinions on Patient-Physician Relationships. In: Code of Medical Ethics. <https://www.ama-assn.org/system/files/code-of-medical-ethics-chapter-1.pdf>
5. Aronson S, Martin G, Gulur P, Lipkin ME, Lagoo-Deenadayalan SA, Mantyh CR, Attarian DE, Mathew JP, Kirk AD. Preoperative Optimization: A Continued Call to Action. *Anesth Analg*. 2020 Apr;130(4):808-810.
6. Bernstein DN, Liu TC, Winegar AL, Jackson LW, Darnutzer JL, Wulf KM, Schlitt JT, Sardan MA, Bozic KJ. Evaluation of a Preoperative Optimization Protocol for Primary Hip and Knee Arthroplasty Patients. *J Arthroplasty*. 2018 Dec;33(12):3642-3648.
7. Brandt KD, Fife RS, Braunstein EM, Katz B. Radiographic grading of the severity of knee osteoarthritis: relation of the Kellgren and Lawrence grade to a grade based on joint space narrowing, and correlation with arthroscopic evidence of articular cartilage degeneration. *Arthritis Rheum*. 1991 Nov;34(11):1381-6.
8. Centers for Medicare and Medicaid Services. Medicare Learning Network Fact Sheet: Complying with Medical Record Documentation Requirements. <https://www.cms.gov/Outreach-and-Education/Medicare-Learning-Network-MLN/MLNProducts/Downloads/CERTMedRecDoc-FactSheet-ICN909160.pdf>
9. Centers for Medicare and Medicaid Services. Medicare Learning Network Fact Sheet: Complying with Medicare Signature Requirements. https://www.cms.gov/Outreach-and-Education/Medicare-Learning-Network-MLN/MLNProducts/Downloads/Signature_Requirements_Fact_Sheet_ICN905364.pdf
10. Centers for Medicare and Medicaid Services. Medicare Learning Network Web Guide: Documentation Guidelines for Evaluation and Management Services. 1995. <https://www.cms.gov/Outreach-and-Education/Medicare-Learning-Network-MLN/MLNEdWebGuide/Downloads/95Docguidelines.pdf>
11. Centers for Medicare and Medicaid Services. Medicare Learning Network Web Guide: Documentation Guidelines for Evaluation and Management Services. 1997. <https://www.cms.gov/Outreach-and-Education/Medicare-Learning-Network-MLN/MLNEdWebGuide/Downloads/97Docguidelines.pdf>
12. Centers for Medicare and Medicaid Services. Verifying Potential Errors and Taking Corrective Actions. In: Medicare Program Integrity Manual. <https://www.cms.gov/Regulations-and-Guidance/Guidance/Manuals/Downloads/pim83c03.pdf>

TURNINGPOINT DOCUMENTATION GUIDELINE

13. Clohisy JC, Carlisle JC, Trousdale R, Kim YJ, Beaulé PE, Morgan P, Steger-May K, Schoenecker PL, Millis M. Radiographic evaluation of the hip has limited reliability. *Clin Orthop Relat Res*. 2009 Mar;467(3):666-75.
14. Dlott CC, Moore A, Nelson C, Stone D, Xu Y, Morris JC, Gibson DH, Rubin LE, O'Connor MI. Preoperative Risk Factor Optimization Lowers Hospital Length of Stay and Postoperative Emergency Department Visits in Primary Total Hip and Knee Arthroplasty Patients. *J Arthroplasty*. 2020 Jun;35(6):1508-1515.e2.
15. Emrani PS, Katz JN, Kessler CL, Reichmann WM, Wright EA, McAlindon TE, Losina E. Joint space narrowing and Kellgren-Lawrence progression in knee osteoarthritis: an analytic literature synthesis. *Osteoarthritis Cartilage*. 2008 Aug;16(8):873-82.
16. Felson DT, Naimark A, Anderson J, Kazis L, Castelli W, Meenan RF. The prevalence of knee osteoarthritis in the elderly. The Framingham Osteoarthritis Study. *Arthritis Rheum*. 1987 Aug;30(8):914-8.
17. Galbraith AS, McGloughlin E, Cashman J. Enhanced recovery protocols in total joint arthroplasty: a review of the literature and their implementation. *Ir J Med Sci*. 2018 Feb;187(1):97-109.
18. Galli M, De Santis V, Tafuro L. Reliability of the Ahlbäck classification of knee osteoarthritis. *Osteoarthritis Cartilage*. 2003 Aug;11(8):580-4.
19. Gold GE, Cicuttini F, Crema MD, Eckstein F, Guermazi A, Kijowski R, Link TM, Maheu E, Martel-Pelletier J, Miller CG, Pelletier JP, Peterfy CG, Potter HG, Roemer FW, Hunter DJ. OARSI Clinical Trials Recommendations: Hip imaging in clinical trials in osteoarthritis. *Osteoarthritis Cartilage*. 2015 May;23(5):716-31.
20. Gossec L, Jordan JM, Lam MA, Fang F, Renner JB, Davis A, Hawker GA, Dougados M, Maillefert JF; OARSI-OMERACT task force "total articular replacement as outcome measure in OA". Comparative evaluation of three semi-quantitative radiographic grading techniques for hip osteoarthritis in terms of validity and reproducibility in 1404 radiographs: report of the OARSI-OMERACT Task Force. *Osteoarthritis Cartilage*. 2009 Feb;17(2):182-7.
21. Günther KP, Sun Y. Reliability of radiographic assessment in hip and knee osteoarthritis. *Osteoarthritis Cartilage*. 1999 Mar;7(2):239-46.
22. Kellgren JH, Lawrence JS. Radiological assessment of osteo-arthrosis. *Ann Rheum Dis*. 1957 Dec;16(4):494-502.
23. Keulen MHF, Asselberghs S, Boonen B, Hendrickx RPM, van Haaren EH, Schotanus MGM. Predictors of (Un)successful Same-Day Discharge in Selected Patients Following Outpatient Hip and Knee Arthroplasty. *J Arthroplasty*. 2020 Aug;35(8):1986-1992.
24. Kijowski R, Blankenbaker D, Stanton P, Fine J, De Smet A. Arthroscopic validation of radiographic grading scales of osteoarthritis of the tibiofemoral joint. *AJR Am J Roentgenol*. 2006 Sep;187(3):794-9.
25. Knuf KM, Maani CV, Cummings AK. Clinical agreement in the American Society of Anesthesiologists physical status classification. *Perioper Med (Lond)*. 2018 Jun 19;7:14.
26. Kohn MD, Sassoon AA, Fernando ND. Classifications in Brief: Kellgren-Lawrence Classification of Osteoarthritis. *Clin Orthop Relat Res*. 2016 Aug;474(8):1886-93.

TURNINGPOINT DOCUMENTATION GUIDELINE

27. Medical Protection Society. An Essential Guide to Medical Records.
<https://mpscdnuks.azureedge.net/resources/docs/mp/advice-booklets/medicolegal-guides/advice-booklet-guide-to-medical-records.pdf>
28. Mortada M, Zeid A, Al-Toukhy MA, Ezzeldin N, Elgawish M. Reliability of a Proposed Ultrasonographic Grading Scale for Severity of Primary Knee Osteoarthritis. *Clin Med Insights Arthritis Musculoskelet Disord*. 2016 Jul 24;9:161-6.
29. National Committee for Quality Assurance. Guidelines for Medical Record Documentation.
https://www.ncqa.org/wp-content/uploads/2018/07/20180110_Guidelines_Medical_Record_Documentation.pdf
30. Nussenbaum FD, Rodriguez-Quintana D, Fish SM, Green DM, Cahill CW. Implementation of Preoperative Screening Criteria Lowers Infection and Complication Rates Following Elective Total Hip Arthroplasty and Total Knee Arthroplasty in a Veteran Population. *J Arthroplasty*. 2018 Jan;33(1):10-13.
31. Office of the Inspector General. Health Care Fraud Prevention and Enforcement Action Team Provider Compliance Training: Importance of Documentation. 2012.
<https://www.youtube.com/watch?v=1M7kKGqSa14>
32. Roemer FW, Crema MD, Trattng S, Guermazi A. Advances in imaging of osteoarthritis and cartilage. *Radiology*. 2011 Aug;260(2):332-54.
33. Schiphof D, Boers M, Bierma-Zeinstra SM. Differences in descriptions of Kellgren and Lawrence grades of knee osteoarthritis. *Ann Rheum Dis*. 2008 Jul;67(7):1034-6.
34. Schiphof D, de Klerk BM, Kerkhof HJ, Hofman A, Koes BW, Boers M, Bierma-Zeinstra SM. Impact of different descriptions of the Kellgren and Lawrence classification criteria on the diagnosis of knee osteoarthritis. *Ann Rheum Dis*. 2011 Aug;70(8):1422-7.
35. Shapira J, Chen JW, Bheem R, Rosinsky PJ, Maldonado DR, Lall AC, Domb BG. Binary Tönnis classification: simplified modification demonstrates better inter- and intra-observer reliability as well as agreement in surgical management of hip pathology. *BMC Musculoskelet Disord*. 2020 Jul 29;21(1):502.
36. Spector TD, Cooper C. Radiographic assessment of osteoarthritis in population studies: whither Kellgren and Lawrence? *Osteoarthritis Cartilage*. 1993 Oct;1(4):203-6.
37. Takahashi M, Naito K, Abe M, Sawada T, Nagano A. Relationship between radiographic grading of osteoarthritis and the biochemical markers for arthritis in knee osteoarthritis. *Arthritis Res Ther*. 2004;6(3):R208-12.
38. Wainwright TW, Gill M, McDonald DA, Middleton RG, Reed M, Sahota O, Yates P, Ljungqvist O. Consensus statement for perioperative care in total hip replacement and total knee replacement surgery: Enhanced Recovery After Surgery (ERAS®) Society recommendations. *Acta Orthop*. 2020 Feb;91(1):3-19.
39. Williams, D. Continuity of care, provider communication, and optimal reimbursement begin in a patient's chart. AAPC. 2014. Accessed at <https://www.aapc.com/blog/28703-set-forth-the-basics-of-good-medical-record-documentation/>
40. Wright RW; MARS Group. Osteoarthritis Classification Scales: Interobserver Reliability and Arthroscopic Correlation. *J Bone Joint Surg Am*. 2014 Jul 16;96(14):1145-1151.

TURNINGPOINT DOCUMENTATION GUIDELINE

Regulatory Data

Document Number/Name:	GN-1002 Medical Record Documentation
Initial Approval and Effective Date:	4/3/2019
Reviewed Dates:	4/3/2019; 10/22/2019; 8/15/2020; 12/23/2020; 2/12/2021; 7/1/2021; 12/7/2021; 8/17/2022
All Approval Dates:	4/3/2019; 10/22/2019; 8/15/2020; 12/23/2020; 2/12/2021; 7/1/2021; 12/7/2021; 8/19/2022
Approval Authority:	Utilization Management Committee
Business Owner:	Utilization Management
Applicable lines of business:	All
Board approval, if appropriate:	n/a
Approval Signature:	On file

URAC Standards:	
State Requirements:	
CMS/Federal Requirements:	
Corresponding policies:	