






Utilization management toll-free phone: 1-833-217-9670 Utilization management local phone: 313-908-6040 Utilization management fax: 313-483-7323

Today's date (mm/dd/yyyy): / /	Member name:
Provider contact name:	Date of birth (mm/dd/yyyy): / /
Provider contact phone:	Member ID (including any alpha prefix):
Provider contact fax:	Health plan:
Provider contact email:	Notification method preference:
	Postal mail
Provider name:	□ Fax
Provider TIN:	Mailing address or fax number:
Provider NPI:	
Practice/group name:	Notes:
Provider physical address:	
Provider mailing address (if different):	

**TurningPoint** 

Where will the procedure take place?	
Provider office     Outpatient facility	Inpatient hospital Ambulatory surgical center
Facility name:	Facility contact name:
Facility TIN:	Facility contact phone:
Facility NPI:	Facility contact fax:
Facility physical address:	Facility mailing address (if different):







Utilization management toll-free phone: 1-833-217-9670 Utilization management local phone: 313-908-6040 Utilization management fax: 313-483-7323

Requested procedure code	Modifier: LT,	RT or 50 (bilateral)	Quantity	Spine level
Diagnosis code(s):		Anticipated date of service (mm/dd/yyyy): / /		

## Case urgency

□ Standard □ Expedited

In keeping with guidelines from the National Committee for Quality Assurance and Centers for Medicare & Medicaid Services, prior authorization requests qualify for expedited review when the standard review time frame could do one of the following:

• Seriously jeopardize the life, health or safety of the member or others, due to the member's psychological state.

**TurningPoint** 

• In the opinion of a practitioner with knowledge of the member's medical or behavioral health condition, subject the member to adverse health consequences without the care or treatment that is the subject of the request.

Patient's height:	Patient's weight:	Patient's BMI:

What type of procedure is planned? (Select one and answer all adjacent questions.)			
	a.	Has moderate to severe pain (rated at least 3 out of 10), primarily axial in nature, been present for 3 months?	🗆 Yes 🗆 No
	b.	Does the pain interfere with daily activities and get worse with bending or twisting?	🗆 Yes 🗆 No
	c.	Are any radiculopathy or claudication symptoms (burning, tingling, cramping) present?	🗆 Yes 🗆 No
	d.	Is the injection being done for diagnostic purposes only?	🗆 Yes 🗆 No
□ Initial medial branch block (answer a – j)	e.	Will more than the recommended amount of anesthetic be used? (Total amount less than 0.3cc for cervical spine and 0.5cc for lumbar)	🗆 Yes 🗆 No
	f.	Are more than 2 levels (either unilateral or bilateral) planned for the procedure?	🗆 Yes 🗆 No
	g.	Has conservative treatment been attempted for at least 4 weeks/1 month?	🗆 Yes 🗆 No
	h.	Has medication been attempted as part of conservative treatment?	🗆 Yes 🗆 No
	i.	Has chiropractic care, physical therapy, and/or home exercise program been attempted as part of conservative treatment?	🗆 Yes 🗆 No
	j.	Does imaging show any other possible causes of pain (such as stenosis, nerve impingement, fracture, or infection)?	🗆 Yes 🗆 No
	a.	Were criteria met for initial block?	🗆 Yes 🗆 No
Second medial branch block (i.e. facet joint(s)	b.	Does the medical record show at least 80% reduction in pain and improvement in function with initial block?	🗆 Yes 🗆 No
that received one block prior) (answer a – d)	C.	Have 4 or more medial branch block sessions been done in this same spine region in the past 12 months (cervical/thoracic or lumbar)?	🗆 Yes 🗆 No
	d.	Have 8 or more total medial branch block sessions for the entire spine been done in the past 12 months?	🗆 Yes 🗆 No





## PAIN MANAGEMENT FACET JOINT INJECTIONS AUTHORIZATION REQUEST FORM

Utilization management toll-free phone: 1-833-217-9670 Utilization management local phone: 313-908-6040 Utilization management fax: 313-483-7323

Third or greater medial branch block (i.e. facet joint(s) that received 2 or more blocks prior)	No questions related to this procedure; proceed to next section.	
Initial therapeutic joint injection for treatment	a. Does imaging (CT, MRI) confirm facet cyst causing nerve root compression or displacement?	🗆 Yes 🗆 No
of facet cyst (answer a – b)	b. Does imaging correlate with symptoms and rule other possible causes out?	🗆 Yes 🗆 No
□ Second therapeutic	a. Did the original symptoms return?	🗆 Yes 🗆 No
joint injection for treatment of facet cyst (answer a – b)	b. Does the medical record confirm at least 50% reduction in pain and improvement in function after the first procedure?	🗆 Yes 🗆 No
Third or greater joint injection for treatment of facet cyst	No questions related to this procedure; proceed to next section.	
	a. Were two medial branch blocks performed at the same location as the planned therapeutic intervention?	🗆 Yes 🗆 No
Initial therapeutic injection for chronic	b. Does the medical record show that BOTH medial branch blocks resulted in at least 80% reduction in pain and improvement in function?	🗆 Yes 🗆 No
<b>facet-related pain</b> (answer a – d)	c. Are more than 2 levels (either unilateral or bilateral) planned for the procedure?	🗆 Yes 🗆 No
	d. Does the medical record document why a radiofrequency ablation is not possible?	🗆 Yes 🗆 No
□ Second or greater	a. Were criteria met for initial therapeutic injection?	🗆 Yes 🗆 No
therapeutic injection	b. Are more than 2 levels (either unilateral or bilateral) planned for the procedure?	🗆 Yes 🗆 No
for chronic facet- related pain (i.e. facet joint(s) that received at least one therapeutic injection prior) (answer a – e)	c. Does the medical record confirm at least 50% reduction in pain and improvement in function for 3 months after the prior procedure?	🗆 Yes 🗆 No
	d. Have 4 or more therapeutic facet joint injection sessions been done in this same spine region in the past 12 months (cervical/thoracic or lumbar)?	🗆 Yes 🗆 No
	e. Have 8 or more total therapeutic facet joint injection sessions for the entire spine been done in the past 12 months?	🗆 Yes 🗆 No

Do any of the following apply? (Answer a – f)				
a.	Injection with steroid planned with uncontrolled diabetes, uncontrolled hypertension, or congestive heart failure present	🗆 Yes 🗆 No		
b.	Systemic or localized infection at planned injection site	🗆 Yes 🗆 No		
C.	Facet joint intervention is planned at a fused spine level	🗆 Yes 🗆 No		
d.	Facet joint intervention is planned at the site of a previously successful radiofrequency ablation	🗆 Yes 🗆 No		
e.	Other pain management interventions planned same day (i.e. epidural steroid injection, SI joint injection, trigger point injection, etc.)	🗆 Yes 🗆 No		
f.	Pain management procedures planned in multiple regions (i.e. cervical/thoracic AND lumbar or sacral)	🗆 Yes 🗆 No		
Will the procedure be performed with fluoroscopic guidance?□ Ye				
Is general anesthesia, conscious sedation, or monitored anesthesia care planned?				

Include imaging reports, surgical plan and clinical documentation of all conservative therapies that have been attempted as well as the duration of each type of conservative treatment.

Form completed by:

Date: